

Virtual Reality for Anxiety and Pain Management:

Relevant Literature



hello@relaxvr.co

www.relaxvr.co

Virtual Reality and Mental Health: Review Studies

Kenney, M. P., & Milling, L.S. (2016). The effectiveness of virtual reality distraction for reducing pain: A meta-analysis. *Psychology of Consciousness: Theory, Research, and Practice*, 3(3), 199-210. DOI: [10.1037/cns0000084](https://doi.org/10.1037/cns0000084)

Krijn, M., Emmelkamp, P. M. G., Olafsson, R. P., & Biemond, R. (2004). Virtual reality exposure therapy of anxiety disorders: A review. *Clinical Psychology Review*, 24(3), 259-281. DOI: [10.1016/j.cpr.2004.04.001](https://doi.org/10.1016/j.cpr.2004.04.001)

Malloy, K. M., & Milling, L. S. (2010). The effectiveness of virtual reality distraction for pain reduction: A systematic review. *Clinical Psychology Review*, 30(8), 1011-1018. DOI: [10.1016/j.cpr.2010.07.001](https://doi.org/10.1016/j.cpr.2010.07.001)

Meyerbröker, K., & Emmelkamp, P. (2010). Virtual reality exposure therapy in anxiety disorders: a systematic review of process-and-outcome studies. *Depression and Anxiety*, 27(10), 933-944. DOI: [10.1002/da.20734](https://doi.org/10.1002/da.20734)

Morina, N., Ijntema, H., Meyerbröker, K. & Emmelkamp, P. (2015). Can virtual reality exposure therapy gains be generalized to real-life? A meta-analysis of studies applying behavioral assessments. *Behaviour Research and Therapy*, 74, 18-24. DOI: [10.1016/j.brat.2015.08.010](https://doi.org/10.1016/j.brat.2015.08.010)

Opris, D., Pinteá, S., García-Palacios, A., Botella, C., Szamosköki, S., & David, D. (2012). Virtual reality exposure therapy in anxiety disorders: a quantitative meta-analysis. *Depression and Anxiety*, 29(2), 85-93. DOI: [10.1002/da.20910](https://doi.org/10.1002/da.20910)

Parsons, T., & Rizzo, A. (2008). Affective outcomes of virtual reality exposure therapy for anxiety and specific phobias: a meta-analysis. *Journal of Behavior Therapy and Experimental Psychiatry*, 39(3), 250-261. DOI: [10.1016/j.jbtep.2007.07.007](https://doi.org/10.1016/j.jbtep.2007.07.007)

Patterson, D. R., Hoffman, H. G., Wiechman, S. A., Jensen, M. P., & Sharar, S. M. (2004). Optimizing control of pain from severe burns: A literature review. *American Journal of Clinical Hypnosis*, 47(1), 43-54. DOI: [10.1080/00029157.2004.10401474](https://doi.org/10.1080/00029157.2004.10401474)

Powers, M., & Emmelkamp, P. (2008). Virtual reality exposure therapy for anxiety disorders: a meta-analysis. *Journal of Anxiety Disorders*, 22(3), 561-569. DOI: [10.1016/j.janxdis.2007.04.006](https://doi.org/10.1016/j.janxdis.2007.04.006)

Triberti, S., Repetto, C., & Riva, G. (2014). Psychological factors influencing the effectiveness of virtual reality-based analgesia: A systematic review. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 335-345. DOI: [10.1089/cyber.2014.0054](https://doi.org/10.1089/cyber.2014.0054)

Turner, W.A., & Casey, L.M. (2014). Outcomes associated with virtual reality in psychological interventions: where are we now? *Clinical Psychology Review*, 34(8), 634-644. DOI: [10.1016/j.cpr.2014.10.003](https://doi.org/10.1016/j.cpr.2014.10.003)

Wismeijer, A. A. J., & Vingerhoets, J .J. M. (2005). The use of virtual reality and audiovisual eyeglass systems as adjunct analgesic techniques: A review of the literature. *Annals of Behavioral Medicine*, 30(3), 268-278. DOI: [10.1207/s15324796abm3003_11](https://doi.org/10.1207/s15324796abm3003_11)

Virtual Reality and Relaxation

Baños, R. M., Etxemendy, E., Farfallini, L., García-Palacios, A., Quero, S., & García-Palacios, A. (2014). EARTH of Well-Being System: A pilot study of an Information and Communication Technology-based positive psychology intervention. *The Journal of Positive Psychology*, 9(6), 482-488. DOI: [10.1080/17439760.2014.927906](https://doi.org/10.1080/17439760.2014.927906)

Carissoli, C., Villani, D., & Riva, G. (2015). Does a meditation protocol supported by a mobile application help people reduce stress? suggestions from a controlled pragmatic trial. *Cyberpsychology, Behavior, and Social Networking*, 18(1), 46-53. DOI: [10.1089/cyber.2014.0062](https://doi.org/10.1089/cyber.2014.0062)

Freeman, J., Lessiter, J., Keogh, E., Bond, F. W., & Chapman, K. (2004). *Relaxation Island: Virtual, and really relaxing*. 7th International Workshop on Presence/Presence 2004, October 13–15, Universitat Politecnica de Valencia, Spain. Available at: goo.gl/Q5r1qP

Gaggioli, A., Cipresso, P., Serino, S., Campanaro, D. M., Pallavicini, F., Wiederhold, B. K., & Riva, G. (2014). Positive technology: A free mobile platform for the self-management of psychological stress. *Studies in Health Technology and Informatics*, 199, 25-29. DOI: [10.3233/978-1-61499-401-5-25](https://doi.org/10.3233/978-1-61499-401-5-25)

Gorini, A., & Riva, G. (2008). The potential of virtual reality as anxiety management tool: a randomized controlled study in a sample of patients affected by Generalized Anxiety Disorder. *Trials*, 9:25. DOI: [10.1186/1745-6215-9-25](https://doi.org/10.1186/1745-6215-9-25)

Gorini, A., Pallavicini, F., Algeri, D., Repetto, C., Gaggioli, A., & Riva, G. (2010). Virtual reality in the treatment of Generalized Anxiety Disorders. *Studies in Health Technology and Informatics*, 154, 39-43. DOI [10.3233/978-1-60750-561-7-39](https://doi.org/10.3233/978-1-60750-561-7-39)

Grassi, A., Gaggioli, A., & Riva, G. (2009). The Green Valley: The use of mobile narratives for reducing stress in commuters. *Cyberpsychology, Behavior, and Social Networking*, 12(2), 155-161. DOI: [10.1089/cpb.2008.0156](https://doi.org/10.1089/cpb.2008.0156)

Grassi, A., Gaggioli, A., & Riva, G. (2011). New technologies to manage exam anxiety. *Studies in Health Technology and Informatics*, 167, 57-62. DOI: [10.3233/978-1-60750-766-6-57](https://doi.org/10.3233/978-1-60750-766-6-57)

Hoch, D. B., Watson, A. J., Linton, D. A., Bello, H. E., Senelly, M., Milikl, M. T., Bain, M. A., Jethwani, K. Fricchione, G. L., Benson, H., & Kvedar, J. C. (2012). The feasibility and impact of delivering a mind-body intervention in a virtual world. *PLoS ONE*, 7(3), e33843. DOI: [10.1371/journal.pone.0033843](https://doi.org/10.1371/journal.pone.0033843)

Manzoni, G. M., Gorini, A., Preziosa, A., Pagnini, F., Castelnuovo, G., Molinari, E., & Riva, G. (2008). New technologies and relaxation: An explorative study on obese patients with emotional eating. *Journal of CyberTherapy & Rehabilitation*, 1(2), 182-192. Available at: <https://goo.gl/ETNrvV>

Manzoni, G. M., Pagnini, F., Gorini, A., Preziosa, A., Castelnuovo, G., Molinari, E., & Riva (2009). Can relaxation training reduce emotional eating in women with obesity? An exploratory study with 3 months of follow-up. *Journal of the American Dietetic Association*, 109(8), 1427-1432. DOI: [10.1016/j.jada.2009.05.004](https://doi.org/10.1016/j.jada.2009.05.004)

Virtual Reality and Relaxation

Pallavicini, F., Algeri, D., Repetto, C., Gorini, A., & Riva, G. (2009). Biofeedback, virtual reality and mobile phones in the treatment of Generalized Anxiety Disorder (GAD): A phase-2 controlled clinical trial. *Journal of CyberTherapy & Rehabilitation*, 2(4), 315-327. Available at: <https://goo.gl/EoDBzS>

Pallavicini, F., Gaggioli, A., Raspelli, S., Cipresso, P., Serino, S., Vigna, C., Grassi, A., Morganti, L., Baruffi, M., Wiederhold, B., & Riva, G. (2013). Interreality for the management and training of psychological stress: study protocol for a randomized controlled trial. *Trials*, 14:191. DOI: [10.1186/1745-6215-14-191](https://doi.org/10.1186/1745-6215-14-191)

Preziosa, A., Villani, D., Mantovani, F., & Riva, G. (2005). *Mobile narratives to improve the quality of life: an experimental research*. CyberTherapy 2005, Basel, Switzerland, June 2005. Available at: <https://goo.gl/DEzjGk>

Preziosa, A., Grassi, A., Gaggioli, A., & Riva, G. (2009). Therapeutic applications of the mobile phone. *British Journal of Guidance & Counselling*, 37(3), 313-325. DOI: [10.1080/03069880902957031](https://doi.org/10.1080/03069880902957031)

Repetto, C., Gorini, A., Algeri, D., Vigna, C., Gaggioli, A., & Riva, G. (2009). The use of biofeedback in clinical virtual reality: the intrepid project. *Journal Of Visualized Experiments*, 33, e1554. DOI: [10.3791/1554](https://doi.org/10.3791/1554)

Repetto, C., Gaggioli, A., Pallavicini, F., Cipresso, P., Raspelli, S., & Riva, G. (2013). Virtual reality and mobile phones in the treatment of generalized anxiety disorders: a phase-2 clinical trial. *Personal and Ubiquitous Computing*, 17(2), 253-260. DOI: [10.1007/s00779-011-0467-0](https://doi.org/10.1007/s00779-011-0467-0)

Riva, G., Preziosa, A., Grassi, A., & Villani, D. (2006). Stress management using UMTS cellular phones: a controlled trial. *Studies in Health Technology and Informatics*, 119, 461-463. Available at: <https://goo.gl/wmN6rE>

Riva, G., Grassi, A., Villani, D., & Preziosa, A. (2007). Cellular phones for reducing battlefield stress: Rationale and a preliminary research. *Studies in Health Technology and Informatics*, 125, 400-405. Available at: <https://goo.gl/1rSR4w>

Riva, G., Grassi, A., Villani, D., Gaggioli, A., & Preziosa, A. (2007). Managing exam stress using UMTS phones: The advantage of portable audio/video support. *Studies in Health Technology and Informatics*, 125, 406-408. Available at: <https://goo.gl/bfwsvJ>

Riva, G., Gorini, A., & Gaggioli, A. (2009). The Intrepid project – biosensor-enhanced virtual therapy for the treatment of Generalized Anxiety Disorders. *Studies in Health Technology and Informatics*, 142, 155-160. DOI: [10.3233/978-1-58603-964-6-271](https://doi.org/10.3233/978-1-58603-964-6-271)

Serino, S., Cipresso, P., Gaggioli, A., Pallavicini, F., Cipresso, S., Camparo, D., & Riva, G. (2014). Smartphone for self-management of psychological stress: A preliminary evaluation of Positive Technology App. *Revista de Psicopatología y Psicología Clínica*, 19(3), 253-260. DOI: [10.5944/rppc.vol.19.num.3.2014.13906](https://doi.org/10.5944/rppc.vol.19.num.3.2014.13906)

Virtual Reality and Relaxation

Serrano, B., Botella, C., Baños, R. M., & Alcañiz, M. (2013). Using virtual reality and mood-induction procedures to test products with consumers of ceramic tiles. *Computers in Human Behavior*, 29, 648-653. DOI: [10.1016/j.chb.2012.10.024](https://doi.org/10.1016/j.chb.2012.10.024)

Shah, L. B., Torres, S., Kannusamy, P., Chng, C. M., He, H-G., & Klainin-Yobas, P. (2015). Efficacy of the virtual reality-based stress management program on stress-related variables in people with mood disorders: The feasibility study. *Archives of Psychiatric Nursing*, 29(1), 6-13. DOI: [10.1016/j.apnu.2014.09.003](https://doi.org/10.1016/j.apnu.2014.09.003)

Stetz, M. C., Kaloi-Chen, J. Y., Turner, D. D., Bouchard, S., Riva, G., & Wiederhold, B. K. (2011). The Effectiveness of Technology-Enhanced Relaxation Techniques for Military Medical Warriors. *Military Medicine*, 176(9), 1065-1070. DOI: [10.7205/MILMED-D-10-00393](https://doi.org/10.7205/MILMED-D-10-00393)

Thompson, T., Steffert, S., Steed, A., & Gruzelier, J. (2011). A randomized controlled trial of the effects of hypnosis with 3-D virtual reality animation on tiredness, mood, and salivary cortisol. *International Journal of Clinical and Experimental Hypnosis*, 59(1), 122-142. DOI: [10.1080/00207144.2011.522917](https://doi.org/10.1080/00207144.2011.522917)

Villani, D., & Riva, G. (2005). *Virtual reality to reduce anxiety in healthy populations: the relaxation island*. CyberTherapy 2005, Basel, Switzerland, June 2005. Available at: <https://goo.gl/PNm9gi>

Villani, D., Riva, F., & Riva, G. (2007). New technologies for relaxation: The role of presence. *International Journal of Stress Management*, 14(3), 260-274. DOI: [10.1037/1072-5245.14.3.260](https://doi.org/10.1037/1072-5245.14.3.260)

Villani, D., & Riva, G. (2008). Presence and relaxation: A preliminary controlled study. *Psychology Journal*, 6(1), 7-25. Available at: <https://goo.gl/BWAUsD>

Villani, D., & Riva, G. (2008). The role of media in supporting a stress management protocol: An experimental study. *Journal of CyberTherapy & Rehabilitation*, 1(2), 159-173. Available at: <https://goo.gl/Q4m5WA>

Villani, D., Lucchetta, M., Preziosa, A., & Riva, G. (2009). The role of interactive media features on the affective response: a virtual reality study. *International Journal on Human Computer Interaction*, 1, 1-21. Available at: <https://goo.gl/RcxaUY>

Villani, D., & Riva, G. (2012). Does interactive media enhance the management of stress? Suggestions from a controlled study. *Cyberpsychology, Behavior, and Social Networking*, 15(1), 24-30. DOI: [10.1089/cyber.2011.0141](https://doi.org/10.1089/cyber.2011.0141)

Villani, D., Grassi, A., Cipresso, P., & Riva, G. (2013). Self-help stress management training through mobile phones: An experience with oncology nurses. *Psychological Services*, 10(3), 315-322. DOI: [10.1037/a0026459](https://doi.org/10.1037/a0026459)

Wiederhold, B. K., Boyd, C., Sulea, C., Gaggioli, A., & Riva, G. (2014). Marketing analysis of a Positive Technology App for the self-management of psychological stress. *Studies in Health Technology and Informatics*, 199, 83-87. DOI: [10.3233/978-1-61499-401-5-83](https://doi.org/10.3233/978-1-61499-401-5-83)

Virtual Reality and Pain

Askay, S. W., Patterson, D. R., & Sharar, S. R. (2009). Virtual reality hypnosis. *Contemporary Hypnosis*, 26(1), 40-47. DOI: [10.1002/ch.371](https://doi.org/10.1002/ch.371)

Botella, C., García-Palacios, A., Vizcaíno, Y., Herrero, R., Baños, R. M., & Belmonte, A. (2013). Virtual reality in the treatment of fibromyalgia: A Pilot Study. *Cyberpsychology, Behavior, and Social Networking*, 16(3), 215-223. DOI: [10.1089/cyber.2012.1572](https://doi.org/10.1089/cyber.2012.1572)

Carrougher, G. J., Hoffman, H. G., Nakamura, D., Lezotte, D., Soltani, M., Leahy, L., Engrav, L. H., & Patterson D.R. (2009). The effect of virtual reality on pain and range of motion in adults with burn injuries. *Journal of Burn Care & Research*, 30(5), 785–791. DOI: [10.1097/BCR.0b013e3181b485d3](https://doi.org/10.1097/BCR.0b013e3181b485d3)

Chan, E. A., Chung, J. W. Y., Wong, T. K. S., Lien, A. S. Y., & Yang, J. Y. Y. (2007). Application of a virtual reality prototype for pain relief of pediatric burn in Taiwan. *Journal of Clinical Nursing*, 16(4), 786-793. DOI: [10.1111/j.1365-2702.2006.01719.x](https://doi.org/10.1111/j.1365-2702.2006.01719.x)

Cole, J., Crowle, S., Austwick, G., & Slater, D. H. (2009). Exploratory findings with virtual reality for phantom limb pain; from stump motion to agency and analgesia. *Disability and Rehabilitation*, 31(10), 846–854. DOI: [10.1080/09638280802355197](https://doi.org/10.1080/09638280802355197)

Dahlquist, L. M., McKenna, K. D., Jones, K. K., Dillinger, L., Weiss, K. E., & Ackerman, C. S. (2007). Active and passive distraction using a head-mounted display helmet: Effects on cold pressor pain in children. *Health Psychology*, 26(6), 794 – 801. DOI: [10.1037/0278-6133.26.6.794](https://doi.org/10.1037/0278-6133.26.6.794)

Dahlquist, L. M., Weiss, K. E., Clendaniel, L. D., Law, E. F., Ackerman, C. S., & McKenna, K. D. (2009). Effects of videogame distraction using a virtual reality type head-mounted display helmet on cold pressor pain in children. *Journal of Pediatric Psychology*, 34(5), 574–584. DOI: [10.1093/jpepsy/jsn023](https://doi.org/10.1093/jpepsy/jsn023)

Dahlquist, L. M., Weiss, K. E., Law, E. F., Sil, S., Herbert, L. J., Horn, S. B., Wohlheiter, K., & Ackerman, C. S. (2010). Effects of videogame distraction and a virtual reality type head-mounted display helmet on cold pressor pain in young elementary school-aged children. *Journal of Pediatric Psychology* 35(6), 617–625. DOI: [10.1093/jpepsy/jsp082](https://doi.org/10.1093/jpepsy/jsp082)

Dahlquist, L. M., Herbert, L. J., Weiss, K. E., & Jimeno, M. (2010). Virtual-reality distraction and cold-pressor pain tolerance: Does avatar point of view matter? *Cyberpsychology, Behavior, and Social Networking*, 13(5), 587-591. DOI: [10.1089/cyber.2009.0263](https://doi.org/10.1089/cyber.2009.0263)

Díaz-Orueta, U., Banterla, F., & Climent, G. (2014). Isla Calma: Realidad virtual para la distracción del dolor y la ansiedad en el afrontamiento del miedo al dentista. *Ansiedad y Estrés*, 20(2-3), 127-141. Available at: <https://goo.gl/jQiCPQ>

Enea, V., Dafinoiu, I., Opreș, D., & David, D. (2014). Effects of hypnotic analgesia and virtual reality on the reduction of experimental pain among high and low hypnotizables. *International Journal of Clinical and Experimental Hypnosis*, 62(3), 360-377. DOI: [10.1080/00207144.2014.901087](https://doi.org/10.1080/00207144.2014.901087)

Virtual Reality and Pain

Frere, C. L., Crout, R., Yorty, J., & McNeil, D. W. (2001). Effects of audiovisual distraction during dental prophylaxis. *Journal of the American Dental Association*, 132(7), 1031-1040. DOI: [10.14219/jada.archive.2001.0309](https://doi.org/10.14219/jada.archive.2001.0309)

Furman, E., Jasinevicius, T. R., Bissada, N. F., Victoroff, K. Z., Skillicorn, R., & Buchner, M. (2009) Virtual reality distraction for pain control during periodontal scaling and root planing procedures. *Journal of the American Dental Association*, 140(12), 1508-1516. DOI: [10.14219/jada.archive.2009.0102](https://doi.org/10.14219/jada.archive.2009.0102)

Gershon, J., Zimand, E., Lemos, R., Rothbaum, B. O., & Hodges, L. (2003). Use of virtual reality as a distractor for painful procedures in a patient with pediatric cancer: A case study. *Cyberpsychology, Behavior, and Social Networking*, 6(6), 657-661. DOI: [10.1089/109493103322725450](https://doi.org/10.1089/109493103322725450)

Gershon, J., Zimand, E., Pickering, M., Rothbaum, B. O., & Hodges, L. (2004). A pilot and feasibility study of virtual reality as a distraction for children with cancer. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(10), 1243-1249. DOI: [10.1097/01.chi.0000135621.23145.05](https://doi.org/10.1097/01.chi.0000135621.23145.05)

Gold, J., Reger, G., Rizzo, A., Buckwalter, G., Kim, S., & Joseph, M. (2005). Virtual reality in outpatient phlebotomy: Evaluating pediatric pain distraction during blood draw. *The Journal of Pain*, 6(3), S57. DOI: [10.1016/j.jpain.2005.01.224](https://doi.org/10.1016/j.jpain.2005.01.224)

Gold, J., Kim, S. H., Kant, A. J., Joseph, M. H., & Rizzo, A. (2006). Effectiveness of virtual reality for pediatric pain distraction during IV placement. *Cyberpsychology, Behavior, and Social Networking*, 9(2), 207-212. DOI: [10.1089/cpb.2006.9.207](https://doi.org/10.1089/cpb.2006.9.207)

Gold, J., Belmont, K. A., & Thomas, D. A. (2007). The neurobiology of virtual reality pain attenuation. *Cyberpsychology, Behavior, and Social Networking*, 10(4), 536-544. DOI: [10.1089/cpb.2007.9993](https://doi.org/10.1089/cpb.2007.9993)

Gordon, N. S., Merchant, J., Zambaka, C., Hodges, L. F., & Goolkasian, P. (2011). Interactive gaming reduces experimental pain with or without a head mounted display. *Computers in Human Behavior*, 27(6), 2123-2128. DOI: [10.1016/j.chb.2011.06.006](https://doi.org/10.1016/j.chb.2011.06.006)

Guo, C., Deng, H., & Yang, J. (2015). Effect of virtual reality distraction on pain among patients with hand injury undergoing dressing change. *Journal of Clinical Nursing*, 24(1-2), 115-120. DOI: [10.1111/jocn.12626](https://doi.org/10.1111/jocn.12626)

Helden, G., Bearison, D. J., Rode, D. C., Rosenberg, G., & Fishman, M. (1999). Evaluating the effects of a virtual environment (STARBRIGHT World) with hospitalized children. *Research on Social Work Practice*, 9(3), 365-382. DOI: [10.1177/104973159900900310](https://doi.org/10.1177/104973159900900310)

Herrero, R., García-Palacios, A., Castilla, D., Molinari, G., & Botella, C. (2014). Virtual Reality for the Induction of Positive Emotions in the Treatment of Fibromyalgia: A Pilot Study over Acceptability, Satisfaction, and the Effect of Virtual Reality on Mood. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 379-384. DOI: [10.1089/cyber.2014.0052](https://doi.org/10.1089/cyber.2014.0052)

Virtual Reality and Pain

Hoffman, H., Doctor, J. N., Patterson, D. R., Carrougher, G. J., & Furness III, T. A. (2000). Virtual reality as an adjunctive pain control during burn wound care in adolescent patients. *Pain*, 85(1-2), 305-309. DOI: [10.1016/S0304-3959\(99\)00275-4](https://doi.org/10.1016/S0304-3959(99)00275-4)

Hoffman, H. G., Patterson, D. R., & Carrougher, G. J. (2000). Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: a controlled study. *The Clinical Journal of Pain*, 16(3), 244-250. DOI: [10.1097/00002508-200009000-00010](https://doi.org/10.1097/00002508-200009000-00010)

Hoffman, H., Patterson, D. R., Carrougher, G. J., & Sharar, S. R. (2001). The effectiveness of virtual reality based pain control with multiple treatments. *Clinical Journal of Pain*, 17(3), 229-235. DOI: [10.1097/00002508-200109000-00007](https://doi.org/10.1097/00002508-200109000-00007)

Hoffman, H. G., Patterson, D. R., Carrougher, G. J., Nakamura, D., Moore, M., Garcia-Palacios, A., & Furness III, T.A. (2001). The effectiveness of virtual reality pain control with multiple treatments of longer durations: A case study. *International Journal of Human-Computer Interaction*, 13(1), 1-12. DOI: [10.1207/S15327590IJHC1301_1](https://doi.org/10.1207/S15327590IJHC1301_1)

Hoffman, H., García-Palacios, A., Patterson, D. R., Jensen, M., Furness III, T., & Ammons, W. F. (2001). The effectiveness of virtual reality for dental pain control: A case study. *Cyberpsychology, Behavior, and Social Networking*, 4(4), 527-535. DOI: [10.1089/109493101750527088](https://doi.org/10.1089/109493101750527088)

Hoffman, H., García-Palacios, A., Kapa, V., Beecher, J., & Sharar, S. (2003). Immersive virtual reality for reducing experimental ischemic pain. *International Journal of Human-Computer Interaction*, 15(3), 469-486. DOI: [10.1207/S15327590IJHC1503_10](https://doi.org/10.1207/S15327590IJHC1503_10)

Hoffman, H., Sharar, S. R., Coda, B., Everett, J. J., Ciol, M., Richards, T., & Patterson, D. R. (2004). Manipulating presence influences the magnitude of virtual reality analgesia. *Pain*, 111(1-2), 162-168. DOI: [10.1016/j.pain.2004.06.013](https://doi.org/10.1016/j.pain.2004.06.013)

Hoffman, H. G., Patterson, D. R., Magula, J., Carrougher, G. J., Zeltzer, K., Dagadakis, S., & Sharar, S. (2004). Water-friendly virtual reality pain control during wound care. *Journal of Clinical Psychology*, 60(2), 189-195. DOI: [10.1002/jclp.10244](https://doi.org/10.1002/jclp.10244)

Hoffman, H.G., Richards, T.L., Coda, B., Bills, A.R., Blough, D., Richards, A.L., & Sharar, S.R. (2004). Modulation of thermal pain-related brain activity with virtual reality: evidence from fMRI. *NeuroReport*, 15(8), 1245-1248. DOI: [10.1097/01.wnr.0000127826.73576.91](https://doi.org/10.1097/01.wnr.0000127826.73576.91)

Hoffman, H. G., Richards, T. L., Bills, A. R., Van Oostrom, T., Magula, J., Seibel, E. J., & Sharar, S. R. (2006). Using fMRI to study the neural correlates of virtual reality analgesia. *CNS Spectrums*, 11(1), 45-51. DOI: [10.1017/S1092852900024202](https://doi.org/10.1017/S1092852900024202)

Hoffman, H. G., Seibel, E. J., Richards, T. L., Furness III, T. A., Patterson, D. R., & Sharar, S. R. (2006). Virtual reality helmet display quality influences the magnitude of virtual reality analgesia. *The Journal of Pain*, 7(11), 843-850. DOI: [10.1016/j.jpain.2006.04.006](https://doi.org/10.1016/j.jpain.2006.04.006)

Virtual Reality and Pain

Hoffman, H. G., Richards, T. L., Van Oostrom, T., Coda, B. A., Jensen, M. P., Blough, D. K., & Sharar, S. R. (2007). The analgesic effects of opioids and immersive virtual reality distraction: evidence from subjective and functional brain imaging assessments. *Anesthesiology and Analgesia*, *105*, 1776-1783. DOI: [10.1213/01.ane.0000270205.45146.db](https://doi.org/10.1213/01.ane.0000270205.45146.db)

Hoffman, H. G., Patterson, D. R., Seibel, E., Soltani, M., Jewett-Leahy, L., & Sharar, S. R. (2008). Virtual reality pain control during burn wound debridement in the hydrotank. *The Clinical Journal of Pain*, *24*(4), 299-304. DOI: [10.1097/AJP.0b013e318164d2cc](https://doi.org/10.1097/AJP.0b013e318164d2cc)

Hoffman, H. G., Patterson, D. R., Soltani, M., Teeley, A., Miller, W., & Sharar, S. R. (2009). Virtual reality pain control during physical therapy range of motion exercises for a patient with multiple blunt force trauma injuries. *Cyberpsychology & Behavior*, *12*(1), 47-49. DOI: [10.1089/cpb.2008.0056](https://doi.org/10.1089/cpb.2008.0056)

Hoffman, H. G., Chambers, G. T., Meyer III, W. J., Arceneaux, L. L., Russell, W. J., Seibel, E. J., Richards, T. L., Sharar, S. R., & Patterson, D.R. (2011). Virtual reality as an adjunctive non-pharmacologic analgesic for acute burn pain during medical procedures. *Annals of Behavioral Medicine*, *41*(2), 183-191. DOI: [10.1007/s12160-010-9248-7](https://doi.org/10.1007/s12160-010-9248-7)

Hoffman, H. G., Meyer III, W. J., Ramirez, M., Roberts, L., Seibel, E. J., Atzori, B., Sharar, S. R., & Patterson, D. R. (2014). Feasibility of articulated arm mounted oculus rift virtual reality goggles for adjunctive pain control during occupational therapy in pediatric burn patients. *Cyberpsychology, Behavior, and Social Networking*, *17*(6), 397-401. DOI: [10.1089/cyber.2014.0058](https://doi.org/10.1089/cyber.2014.0058)

Hua, Y., Qiu, R., Yao, W-Y., Zhang, Q., & Chen, X-L. (2015). The effect of virtual reality distraction on pain relief during dressing changes in children with chronic wounds on lower limbs. *Pain Management Nursing*, *16*(5), 685-691. DOI: [10.1016/j.pmn.2015.03.001](https://doi.org/10.1016/j.pmn.2015.03.001)

Jones, T., More, T. & Choo, J. (2016). The Impact of Virtual Reality on Chronic Pain. *PLoS ONE*, *11*(12):e0167523. DOI: [10.1016/j.jpain.2016.01.319](https://doi.org/10.1016/j.jpain.2016.01.319)

Keefe, F. J., Huling, D. A., Coggins, M. J., Keefe, D. F., Rosenthal, M. Z., Herr, N. R., & Hoffman, H.G. (2012). Virtual reality for persistent pain: A new direction for behavioral pain management. *Pain*, *153*(11), 2163-2166. DOI: [10.1016/j.jpain.2012.05.030](https://doi.org/10.1016/j.jpain.2012.05.030)

Law, E. F., Dahlquist, L. M., Sil, S., Weiss, K. E., Herbert, L. J., Wohlheiter, K., & Horn, S.B. (2011). Videogame distraction using virtual reality technology for children experiencing cold pressor pain: The role of cognitive processing. *Journal of Pediatric Psychology* *36*(1), 84-94. DOI: [10.1093/jpepsy/jsq063](https://doi.org/10.1093/jpepsy/jsq063)

Leibovici, V., Magora, F., Cohen, S., & Ingber, A. (2009). Effects of virtual reality immersion and audiovisual distraction techniques for patients with pruritus. *Pain Research and Management*, *14*(4), 283-286. DOI: [10.1155/2009/178751](https://doi.org/10.1155/2009/178751)

Llobera, J., González-Franco, M., Perez-Marcos, D., Valls-Solé, J., Slater, M., & Sanchez-Vives, M. V. (2013). Virtual reality for assessment of patients suffering chronic pain: a case study. *Experimental Brain Research*, *225*(1), 105-117. DOI: [10.1007/s00221-012-3352-9](https://doi.org/10.1007/s00221-012-3352-9)

Virtual Reality and Pain

Loreto-Quijada, D., Gutiérrez-Maldonado, J., Nieto, R., Gutiérrez-Martínez, O., Ferrer-García, M., Saldaña, C., Fusté-Escolano, A. & Liutsko, L. (2014). Differential effects of two virtual reality interventions: distraction versus pain control. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 353-358. DOI: [10.1089/cyber.2014.0057](https://doi.org/10.1089/cyber.2014.0057)

Maani, C.V., Hoffman, H.G., Morrow, M., Maiers, A., Gaylord, K., McGhee, L. L., & DeSocio, P. A. (2011). Virtual reality pain control during burn wound debridement of combat-related burn injuries using robot-like arm mounted VR goggles. *The Journal of Trauma*, 71(1), S125-30. DOI: [10.1097/TA.0b013e31822192e2](https://doi.org/10.1097/TA.0b013e31822192e2)

Magora, F., Cohen, S., Shochina, M., & Dayan, E. (2006). Virtual reality immersion method of distraction to control experimental ischemic pain. *Israel Medical Association Journal*, 8(4), 261–265. Available at: <https://goo.gl/DxrhMZ>

Malenbaum, S., Keefe, F. J., Williams, A., Ulrich, R., & Somers, T. J. (2008). Pain in its environmental context: Implications for designing environments to enhance pain control. *Pain*, 134(3), 241-244. DOI: [10.1016/j.pain.2007.12.002](https://doi.org/10.1016/j.pain.2007.12.002)

Mosso-Vázquez, J. L., Rizzo, S., Wiederhold, B., Lara, V., Flores, J., Espiritusanto, E., Minor, A., Santander, A., Avila, O., Balice, O. & Benavide, B. (2007). Cybertherapy – New applications for discomfort reductions - Surgical Care Unit of Heart, Neonatology Care Unit, Transplant Kidney Care Unit, Delivery Room-Cesarean Surgery and ambulatory surgery, 27 case reports. *Studies in Health Technology and Informatics*, 125, 334-336. Available at: <https://goo.gl/dohc7E>

Mosso-Vázquez, J. L., Gao, K., Wiederhold, B. K., & Wiederhold, M. D. (2014). Virtual reality for pain management in cardiac surgery. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 371-378. DOI: [10.1089/cyber.2014.0198](https://doi.org/10.1089/cyber.2014.0198)

Mühlberger, A., Wieser, M. J., Kenntner-Mabiala, R., Pauli, P., & Wiederhold, B. K. (2007). Pain modulation during drives through cold and hot virtual environments. *Cyberpsychology & Behavior*, 10(4), 516-522. DOI: [10.1089/cpb.2007.9996](https://doi.org/10.1089/cpb.2007.9996)

Murray, C. D., Pettifer, S., Howard, T., Patchick, E. L., Caillette, F., Kulkarni, J., & Bamford, C. (2007). The treatment of phantom limb pain using immersive virtual reality: Three case studies. *Disability and Rehabilitation*, 29(18), 1465-1469. DOI: [10.1080/09638280601107385](https://doi.org/10.1080/09638280601107385)

Nilsson, S., Finnström, B., Kokinsky, E., & Enskär, K. (2009). The use of Virtual reality for needle-related procedural pain and distress in children and adolescents in a paediatric oncology unit. *European Journal of Oncology Nursing*, 13(2), 102–109. DOI: [10.1016/j.ejon.2009.01.003](https://doi.org/10.1016/j.ejon.2009.01.003)

Oneal, B. J., Patterson, D. R., Soltani, M., Teeley, A., & Jensen, M. P. (2008). Virtual reality hypnosis in the treatment of chronic neuropathic pain: A case report. *International Journal of Clinical and Experimental Hypnosis*, 56(4), 451-462. DOI: [10.1080/00207140802255534](https://doi.org/10.1080/00207140802255534)

Virtual Reality and Pain

Ortiz-Catalan, M., Guðmundsdóttir, R. A., Kristoffersen, M. B., Zepeda-Echavarría, A., Caine-Winterberger, K., Kulbacka-Ortiz, K., Widehammar, C., Eriksson, K., Stocksélius, A., Ragnö, C., Pihlar, Z., Burger, H., & Hermansson, L. (2017). Phantom motor execution facilitated by machine learning and augmented reality as treatment for phantom limb pain: A single group, clinical trial in patients with chronic intractable phantom limb pain. *The Lancet*, 388(10062), 2885-2894. DOI: [10.1016/S0140-6736\(16\)31598-7](https://doi.org/10.1016/S0140-6736(16)31598-7)

Osumi, M., Ichinose, A., Sumitani, M., Wake, N., Sano, Y., Yozu, A., Kumagaya, S., Kuniyoshi, Y., & Morioka, S. (2017). Restoring movement representation and alleviating phantom limb pain through short-term neurorehabilitation with a virtual reality system. *European Journal of Pain*, 21(1), 140-147. DOI: [10.1002/ejp.910](https://doi.org/10.1002/ejp.910)

Patterson, D. R., Tininenko, J. R., Schmidt, A. E., & Sharar, S.R. (2004). Virtual reality hypnosis: A case report. *The International Journal of Clinical and Experimental Hypnosis*, 52(1), 27-38. DOI: [10.1076/iceh.52.1.27.23925](https://doi.org/10.1076/iceh.52.1.27.23925)

Patterson, D. R., Hoffman, H. G., Garcia-Palacios, A., & Jensen, M. J. (2006). Analgesic effects of posthypnotic suggestions and virtual reality distraction on thermal pain. *Journal of Abnormal Psychology*, 115(4), 834 – 841. DOI: [10.1037/0021-843X.115.4.834](https://doi.org/10.1037/0021-843X.115.4.834)

Patterson, D. R., Wiechman, S. A., Jensen, M., & Sharar, S. R. (2006). Hypnosis delivered through immersive virtual reality for burn pain: A clinical case series. *International Journal of Clinical and Experimental Hypnosis*, 54(2), 130-142. DOI: [10.1080/00207140500528182](https://doi.org/10.1080/00207140500528182)

Patterson, D. R., Jensen, M. P., Wiechman, S. A., & Sharar, S. R. (2010). Virtual reality hypnosis for pain associated with recovery from physical trauma. *International Journal of Clinical and Experimental Hypnosis*, 58(3), 288-300. DOI: [10.1080/00207141003760595](https://doi.org/10.1080/00207141003760595)

Piskorz, J., & Czub, M. (2014). Distraction of attention with the use of virtual reality. Influence of the level of game complexity on the level of experienced pain. *Polish Psychological Bulletin*, 45(4), 480-487. DOI: [10.2478/ppb-2014-0058](https://doi.org/10.2478/ppb-2014-0058)

Ramachandran, V. S., & Seckel, E. L. (2010). Using mirror visual feedback and virtual reality to treat fibromyalgia. *Medical Hypotheses*, 75(6), 495-496. DOI: [10.1016/j.mehy.2010.07.003](https://doi.org/10.1016/j.mehy.2010.07.003)

Rutter, C. E., Dahlquist, L. M., & Weiss, K. E. (2009). Sustained efficacy of virtual reality distraction. *The Journal of Pain*, 10(4), 391-397. DOI: [10.1016/j.jpain.2008.09.016](https://doi.org/10.1016/j.jpain.2008.09.016)

Schneider, S. M., & Hood, L.E. (2007). Virtual reality: A distraction intervention for chemotherapy. *Oncology Nursing Forum*, 34(1), 39-46. DOI: [10.1188/07.ONF.39-46](https://doi.org/10.1188/07.ONF.39-46)

Schmitt, Y. S., Hoffman, H. G., Blough, D. K., Patterson, D. R., Jensen, M. P., Soltani, M., Carrougher, G. J., Nakamura, D., & Sharar, S. R. (2011). A randomized, controlled trial of immersive virtual reality analgesia, during physical therapy for pediatric burns. *Burns*, 37(1), 61-68. DOI: [10.1016/j.burns.2010.07.007](https://doi.org/10.1016/j.burns.2010.07.007)

Virtual Reality and Pain

Shahrbanian, S., & Simmonds, M. J. (2008). Effects of different virtual reality environments on experimental pain rating in post-stroke individuals with and without pain in comparison to pain free healthy individual. *Annual Review Of Cybertherapy And Telemedicine*, 653-659. Available at: <https://goo.gl/Jyrejb>

Sharar, S.R., Carrougher, G.J., Nakamura, D., Hoffman, H.G., Blough, D.K., & Patterson, D.R. (2007). Factors influencing the efficacy of virtual reality distraction analgesia during postburn physical therapy: preliminary results from 3 ongoing studies. *Archives of Physical Medicine and Rehabilitation*, 88(12 Suppl 2), S43–S49. DOI: [10.1016/j.apmr.2007.09.004](https://doi.org/10.1016/j.apmr.2007.09.004)

Shiri, S., Feintuch, U., Weiss, N., Pustilnik, A., Geffen, T., Kay, B., Meiner, Z., & Berger, I. (2013). A virtual reality system combined with biofeedback for treating pediatric chronic headache - A pilot study. *Pain Medicine*, 14(5), 621-627. DOI: [10.1111/pme.12083](https://doi.org/10.1111/pme.12083)

Sil, S., Dahlquist, L., Thompson, C., Hahn, A., Herbert, L., Wohlheiter, K., & Horn, S. (2014). The effects of coping style on virtual reality enhanced videogame distraction in children undergoing cold pressor pain. *Journal of Behavioral Medicine*, 37(1), 156-165. DOI: [10.1007/s10865-012-9479-0](https://doi.org/10.1007/s10865-012-9479-0)

Soltani, M., Teeley, A. M., Wiechman, S. A., Jensen, M. P., Sharar, S. R., & Patterson, D. R. (2011). Virtual reality hypnosis for pain control in a patient with gluteal hidradenitis: A case report. *Contemporary Hypnosis & Integrative Therapy*, 28(2), 142-147. Available at: <https://goo.gl/iAYL1C>

Steele, E., Grimmer, K., Thomas, B., Mulley, B., Fulton, I., & Hoffman, H. (2003). Virtual reality as a pediatric pain modulation technique: A case study. *Cyberpsychology & Behavior*, 6(6), 633-638. DOI: [10.1089/109493103322725405](https://doi.org/10.1089/109493103322725405)

Tanja-Dijkstra, K., Pahl, S., White, M.P., Andrade, J., Qian, C., Bruce, M., May, J. & Moles, D. R. (2014). Improving dental experiences by using virtual reality distraction: A simulation study. *PLoS One*, 9(3): e91276. DOI: [10.1371/journal.pone.0091276](https://doi.org/10.1371/journal.pone.0091276)

Teeley, A. M., Soltani, M., Wiechman, S. A., Jensen, M. P., Sharar, S. R., & Patterson, D. R. (2012). Virtual reality hypnosis pain control in the treatment of multiple fractures: A case series. *American Journal of Clinical Hypnosis*, 54(3), 184-194. DOI: [10.1080/00029157.2011.619593](https://doi.org/10.1080/00029157.2011.619593)

Thomas, J. S., France, C. R., Applegate, M. E., Leitkam, S., & Walkowski, S. (2016). Feasibility and safety of a virtual reality dodgeball intervention for chronic low back pain: A randomized clinical trial. *The Journal of Pain*, 17(12), 1302-1317. DOI: [10.1016/j.jpain.2016.08.011](https://doi.org/10.1016/j.jpain.2016.08.011)

Trost, Z., & Parsons, T. D. (2014). Beyond distraction: Virtual reality graded exposure therapy as treatment for pain-related fear and disability in chronic pain. *Journal of Applied Biobehavioral Research*, 19(2), 106-126. DOI: [10.1111/jabr.12021](https://doi.org/10.1111/jabr.12021)

Tse, M. M., Ng, J. K., Chung, J. W., & Wong, T. K. (2002). The effect of visual stimulation via the eyeglass display and the perception of pain. *Cyberpsychology & Behavior*, 5(1), 65-75. DOI: [10.1089/109493102753685890](https://doi.org/10.1089/109493102753685890)

Virtual Reality and Pain

Ushida, T., Ikemoto, T., Taniguchi, S., Ishida, K., Murata, Y., Ueda, W., Tanaka, S., Ushida, A., & Tani, T. (2005). Virtual pain stimulation of allodynia patients activates cortical representation of pain and emotions: A functional MRI study. *Brain Topography*, 18(1), 27-35. DOI: [10.1007/s10548-005-7898-8](https://doi.org/10.1007/s10548-005-7898-8)

Walker, M. R., Kallingal, G. J., Musser, J. E., Folen, R., Stetz, M. C., & Clark, J. Y. (2014). Treatment efficacy of virtual reality distraction in the reduction of pain and anxiety during cystoscopy. *Military Medicine*, 179(8), 891-896. DOI: [10.7205/MILMED-D-13-00343](https://doi.org/10.7205/MILMED-D-13-00343)

Wender, R., Hoffman, H. G., Hunner, H. H., Seibel, E. J., Patterson, D. R., & Sharar, S.R. (2009). Interactivity influences the magnitude of virtual reality analgesia. *Journal of Cybertherapy and Rehabilitation*, 2(1), 27-33. Available at: <https://goo.gl/9PJr48>

Wiederhold, M. D., & Wiederhold, B. K. (2007). Virtual reality and interactive simulation for pain distraction. *Pain Medicine*, 8(S3), 182-188. DOI: [10.1111/j.1526-4637.2007.00381.x](https://doi.org/10.1111/j.1526-4637.2007.00381.x)

Wiederhold, M. D., Gao, K., & Wiederhold, B. K. (2014). Clinical use of virtual reality distraction system to reduce anxiety and pain in dental procedures. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 359-365. DOI: [10.1089/cyber.2014.0203](https://doi.org/10.1089/cyber.2014.0203)

Wiederhold, B. K., Riva, G., & Wiederhold, M. D. (2014). How can virtual reality interventions help reduce prescription opioid drug misuse? *Cyberpsychology, Behavior, and Social Networking*, 17(6), 331-332. DOI: [10.1089/cyber.2014.1512](https://doi.org/10.1089/cyber.2014.1512)

Wiederhold, B. K., Gao, K., Kong, L., & Wiederhold, M. D. (2014). Mobile devices as adjunctive pain management tools. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 385-389. DOI: [10.1089/cyber.2014.0202](https://doi.org/10.1089/cyber.2014.0202)

Wiederhold, B. K., Gao, K., Sulea, C., & Wiederhold, M. D. (2014). Virtual Reality as a distraction technique in chronic pain patients. *Cyberpsychology, Behavior, and Social Networking*, 17(6), 346-352. DOI: [10.1089/cyber.2014.0207](https://doi.org/10.1089/cyber.2014.0207)

Windich-Biermeier, A., Sjoberg, I., Dale, J. C., Eshelman, D., & Guzzetta, C. E. (2007). Effects of distraction on pain, fear, and distress during venous port access and venipuncture in children and adolescents with cancer. *Journal of Pediatric Oncology Nursing*, 24(8), 8-19. DOI: [10.1177/1043454206296018](https://doi.org/10.1177/1043454206296018)

Wolitzky, K., Fivush, R., Zimand, E., Hodges, L., & Rothbaum, B. O. (2005). Effectiveness of virtual reality distraction during a painful medical procedure in pediatric oncology patients. *Psychology & Health*, 20(6), 817-824. DOI: [10.1080/14768320500143339](https://doi.org/10.1080/14768320500143339)



Rest, Relax and Meditate
in Virtual Reality

 fb.com/relaxvr

 [@relaxvr](https://twitter.com/relaxvr)

 [@relax_vr](https://instagram.com/relax_vr)